



# AGL GRO/COMPLETE B30 PLT MEDICATED

FS1533

## GROWING LAMB

### ACTIVE DRUG INGREDIENT

Lasalocid.....30 gm/ton

### GUARANTEED ANALYSIS

Crude Protein, (Min).....18.00%

This includes not more than 2.0% equivalent crude protein from non-protein nitrogen.

Crude Fat, (Min).....2.30%

Crude Fiber, (Max).....16.07%

Calcium, (Min).....0.96%

Calcium, (Max).....1.21%

Phosphorus, (Min).....0.45%

Salt, (Min).....0.83%

Salt, (Max).....1.04%

Selenium, (Min) .....0.6 ppm

Vitamin A, (Min).....3,720 IU/lb

### ADDED, BUT NOT GUARANTEED

Copper.....14.8 ppm

### INGREDIENTS

Processed Grain By-Products, Roughage Products, Grain Products, Plant Protein Products, Molasses Products, Calcium Carbonate, Salt, Ammonium Chloride, Urea, Urea Formaldehyde Condensation Polymer, Sodium Selenite, Zinc Sulfate, Vitamin E Supplement, Manganese Sulfate, Vitamin A Supplement, Vitamin D<sub>3</sub> Supplement, Ethylenediamine Dihydriodide, Mineral Oil.

### DIRECTIONS FOR USE

GROWER COMPLETE B30 is a complete feed combining roughage, grain and supplement. It is intended for feedlot lambs from approximately 50 to 80 pounds of bodyweight. GROWER COMPLETE B 30 contains 30 gm/ton (15 mg. per pound) of Lasalocid. Feed continuously at a rate of 1 lb. to 4.66 lbs. to provide 15 to 70 milligrams of Lasalocid per head daily depending on bodyweight. Lambs should be gradually adjusted to GROWER COMPLETE B30 in order to reduce the risk of overeating and other digestive disturbances. GROWER COMPLETE B30 MEDICATED can be self-fed to lambs if they are properly adjusted to the ration. In an effort to minimize management problems, lambs may be offered approximately 10% good quality long hay. If hay is fed, all lambs should have equal access so that the total ration composition (proportion of GROWER COMPLETE B30 to hay) is consistent every day. CAUTION: The safety of Lasalocid for use in unapproved species has not been established.

For the prevention of coccidiosis caused by Eimeria ovina, Eimeria crandalis, Eimeria ovinoidalis (Eimeria ninakohlyakimovae), Eimeria parva and Eimeria intricata in sheep maintained in confinement.

CAUTION: USE ONLY AS DIRECTED

AGFINITY, INCORPORATED

Manufactured By: Agfinity, Inc. 260 Factory Road Eaton, CO 80615 Bulk – or – 50 lb (22.68 kg) Net Weight

Not for official use  
Please contact Agfinity, Inc. for official tag.  
Revised 02/01/21





# SHOW GOAT PELLET MEDICATED

FS1626

## ACTIVE DRUG INGREDIENT

Monensin (Monensin Sodium).....20 gm/ton

## GUARANTEED ANALYSIS

Crude Protein (Min).....	16.00%
This includes not more than 0.8% equivalent crude protein from non-protein nitrogen	
Crude Fat (Min).....	4.25%
Crude Fiber (Max).....	18.00%
Calcium (Min).....	1.11%
Calcium (Max).....	1.17%
Phosphorus (Min).....	0.40%
Salt (Min).....	1.19%
Salt (Max).....	1.24%
Copper (Min).....	6.5 ppm
Copper (Max).....	7.5 ppm
Selenium (Min).....	0.8 ppm
Zinc (Min).....	100 ppm
Vitamin A (Min).....	1,600 IU/lb

## INGREDIENTS

Roughage Products, Processed Grain By-Products, Grain Products, Plant Protein Products, Molasses Product, Calcium Carbonate, Vegetable Fat Partially Hydrogenated (preserved with mixed Tocopherols), Artificial Flavor, Yeast Culture, Salt, Ammonium Chloride, Urea Formaldehyde Condensation Polymer, Manganese Sulfate, Zinc Sulfate, Sodium Selenite, Magnesium Oxide, Ferrous Sulfate, Cobalt Sulfate, Calcium Iodate, Mineral Oil, Vitamin E Supplement, Zinc Methionine Complex, Vitamin A Supplement, Copper Sulfate, Vitamin D3 Supplement.

## FEEDING DIRECTIONS

Feed at a rate of 2.5 to 5 lbs. per head per day. If additional roughage is needed, feed high quality hay or pasture. Always provide fresh clean water at all times. Feed complete feed (90% DM basis) continuously as the sole ration. **WARNING:** Do not allow horse's access to this feed. Do not feed to lactating goats. Monensin feeds are intended for cattle or goats only. Feeding to unapproved species may be toxic. Feeding undiluted or mixing errors may be fatal to goats. **CAUTION:** This product contains copper and should not be fed to sheep.

For the prevention of coccidiosis caused by Eimeria Christenseni, Eimeria Crandallis and Eimeria Ninakohlyakimovae.

**CAUTION: USE ONLY AS DIRECTED**

AGFINITY, INCORPORATED

Manufactured By: Agfinity, Inc. 260 Factory Road Eaton, CO 80615 Bulk – or – 50 lb (22.68 kg) Net Weight

Not for official use  
Please contact Agfinity, Inc. for official tag.  
Revised 02/01/21





## AGL GOAT RATION

FS1634

### GUARANTEED ANALYSIS

Crude Protein.....	not less than 16.00%
*This includes not more than 0.8 % equivalent crude protein from non-protein nitrogen	
Fat.....	not less than 2.60%
Fiber.....	not more than 17.65%
Calcium.....	not less than 1.08 not more than 1.37%
Phosphorus.....	not less than 0.41%
Salt.....	not less than 1.15 not more than 1.45%
Copper.....	not less than 34.1 not more than 34.6 ppm
Selenium.....	not less than 0.6 ppm
Vitamin A.....	not less than 1,407 IU/lb

#### INGREDIENTS

Processed Grain By-Products, Roughage Products, Grain Products, Plant Protein Products, Molasses Products, Calcium Carbonate, Salt, Ammonium Chloride, Vegetable Fat Partially Hydrogenated (preserved with mixed Tocopherols), Artificial Flavor, Urea Formaldehyde Condensation Polymer, Manganese Sulfate, Zinc Sulfate, Magnesium Oxide, Iron Sulfate, Cobalt Sulfate, Calcium Iodate, Mineral Oil, Vitamin E Supplement, Sodium Selenite, Zinc Methionine Complex, Vitamin A Supplement, Copper Sulfate, Vitamin D3 Supplement.

#### FEEDING DIRECTIONS

Feed at a rate of 2.5 to 5 lbs. per head per day. If additional roughage is needed, feed high quality hay or pasture. Provide fresh clean water at all times. Feed complete feed (90% DM basis) continuously as the sole ration. This product was made in a feed manufacturing facility that does not handle or store products containing animal proteins prohibited in ruminant feed.  
AGFINITY, INCORPORATED

Manufactured By: Agfinity, Inc. 260 Factory Road Eaton, CO 80615 Bulk – or – 50 lb (22.68 kg) Net Weight

Not for official use  
Please contact Agfinity, Inc. for official tag.  
Revised 02/01/21





## FREE CHOICE SHEEP MINERAL

FS8576

*FOR SHEEP ON PASTURE*

### GUARANTEED ANALYSIS

Calcium (Min).....	12.50%
Calcium (Max).....	13.50%
Phosphorus (Min) .....	9.80%
Salt (Min).....	3.55%
Salt (Max).....	4.15%
Magnesium (Min).....	1.10%
Potassium (Min) .....	0.95%
Zinc (Min).....	5,000 ppm
Manganese (Mi).....	4,000 ppm
Iodine (Min).....	.44 ppm
Selenium (Min).....	.31 ppm
Vitamin A (Min).....	249,000 IU/lb
Vitamin D3 (Min).....	29,400 IU/lb
Vitamin E (Min).....	490 IU/lb

### INGREDIENTS

Monocalcium Phosphate, Dicalcium Phosphate, Processed Grain By-Products, Calcium Carbonate, Salt, Cobalt Carbonate, Zinc Oxide, Iron Sulfate, Potassium Iodide, Manganese Sulfate, Manganous Oxide, Sodium Molybdate, Zinc Sulfate, Mineral Oil, Vegetable Oil, Potassium Chloride, Magnesium Oxide, Sodium Selenite, D-Activated Animal Sterol (Source of Vitamin D3), Vitamin E Supplement, Vitamin A Supplement (stability improved), Artificial Flavoring.

### FEEDING DIRECTIONS

Feed free choice from sheltered feeders to sheep to provide approximately 0.25 to 0.75 ounces per head per day. Maintain a supply of clean fresh water near feeding areas.

### AGFINITY, INCORPORATED

Manufactured By: Agfinity, Inc. 260 Factory Road Eaton, CO 80615 Bulk – or – 50 lb (22.68 kg) Net Weight

Not for official use  
Please contact Agfinity, Inc. for official tag.  
Revised 02/01/21





# HIGHNOON HIGH GLO PELLETT

FS1020

## GUARANTEED ANALYSIS

Crude Protein.....	not less than 35.58%
Fat.....	not less than 3.87%
Fiber.....	not more than 8.71%
Calcium.....	not less than 2.13 not more than 2.63%
Phosphorus.....	not less than 1.14%
Salt.....	not less than 0.97 not more than 1.23%
Selenium.....	not less than 0.25ppm
Vitamin A.....	not less than 14,255IU/lb

## ADDED BUT NOT GUARENTEED

Copper.....	9.3 ppm
-------------	---------

## INGREDIENTS

Plant Protein Products, Processed Grain By-Products, , Animal Protein Products, Forage Products, Roughage Products, FEATHER MEAL, WHEAT GERM MEAL, Calcium Carbonate, Monocalcium Phosphate, Dicalcium Phosphate, Vegetable Oil, Yeast Culture,, POTASSIUM CHLORIDE,, Salt, Zinc Amino Acid Complex, Manganese Amino Acid Complex, Vitamin E Supplement, Sodium Selenite, Cobalt Glucoheptonate, Vitamin A Supplement, Vitamin D3 Supplement.

## FEEDING DIRECTIONS

Feed as directed by your nutritionist.

Manufactured For:

High Noon Feed, LLC 1616 Co Rd 30, Bird City, KS 67731  
Net Weight Bulk-or-50 lb (22.67 Kg)

Not for official use

Please contact Agfinity, Inc. for official tag.  
Revised 05/25/21



# HIGHNOON ORIGINAL-GLO

## TOPDRESS PELLETS

FOR ALL CLASSES OF BEEF & DAIRY CATTLE, SHEEP, SWINE, GOATS & RABBITS

FS1034

### GUARANTEED ANALYSIS

Crude Protein.....	not less than 40.00%
Lysine.....	not less than 2.60%
Crude Fat.....	not less than 3.00%
Crude Fiber.....	not less than 5.00% not more than 8.00%
Acid Detergent Fiber (ADF).....	not more than 9.00%
Calcium.....	not less than 1.40 not more than 1.90%
Phosphorus.....	not less than 0.70%
Salt.....	not less than 0.50 not more than 1.00%
Selenium.....	not less than 0.3ppm
Potassium.....	not less than 1.10%
Zinc.....	not less than 300 ppm
Vitamin A.....	not less than 13,350 IU/lb

### INGREDIENTS

Plant Protein Products, Processed Grain By-Products, Blood Meal, Dried Whey, Fish Meal, Forage Products, Calcium Carbonate, Vegetable Oil, Monocalcium Phosphate, Dicalcium Phosphate, Potassium Chloride, Salt, Zinc Amino Acid Complex, Urea Formaldehyde Condensation Polymer, Manganese Amino Acid Complex, Vitamin E Supplement, Sodium Selenite, Cobalt Glucoheptonate, Vitamin A Supplement, Vitamin D3 Supplement.

### FEEDING DIRECTIONS

Baby Lambs.....	Up to 2 oz/head/day
Show Lambs.....	Up to 1 lb/head/day
Dairy Calves.....	Up to 1/4 lb/head/day
Lactating Cows.....	Up to 1/2 lb/head/day
Show Cattle.....	1/2 to 8 lb/head/day
Brood Sows.....	Up to 1/2 lb/head/day
Bulls.....	Up to 1/2 lb/head/day
Goats.....	Up to 1/4 lb/head/day
Baby Pigs.....	Up to 1/8 lb/head/day
Show Hogs.....	Up to 6 lb/head/day
Gestating & Lactating Sows.....	Up to 1/4 lb/head/day
Boars.....	Up to 1/4 lb/head/day
Growing Rabbits.....	Up to 1/2 TSP/head/day
Lactating Does.....	Up to 1/2 TBP/head/day

CAUTION: The addition to feed of higher levels of this product containing selenium is not permitted. Selenium in final feed must not exceed 0.3 ppm from all sources. UniBond (Urea Formaldehyde Condensation Polymer) Pellet Binder "Approved for Use in All Animal Feeds"

Manufactured For:  
High Noon Feed, LLC 1616 Co Rd 30, Bird City, KS 67731  
Net Weight Bulk-or-50 lb (22.67 Kg)

Not for official use  
Please contact Agfinity, Inc. for official tag.  
Revised 05/25/21



# HIGHNOON SURE SHOT MIX

MEDICATED

For the prevention of coccidiosis caused by Eimeria ovina, Eimeria crandalis, Eimeria ovinoidalis (Eimeria ninakohlyakimovae), Eimeria parva and Eimeria intricata in sheep maintained in confinement.

FS1668

## ACTIVE DRUG INGREDIENT

Lasalocid.....45 g/ton  
Crude Protein.....not less than 17.15%  
*\*This includes not more than 1.2 % equivalent crude protein from non-protein nitrogen.*

## GUARANTEED ANALYSIS

Fat.....not less than 5.04%  
Fiber.....not more than 8.38%  
Calcium.....not less than 1.11 not more than 1.41%  
Phosphorus.....not less than 0.40%  
Salt.....not less than 0.75 not more than 0.95%  
Copper.....not less than 9.30 not more than 9.9ppm  
Selenium.....not less than 0.3ppm  
Vitamin A.....not less than 11,013 IU/lb

## INGREDIENTS

Grain Products, Plant Protein Products, Molasses Products, Processed Grain By-Products, Roughage Products, Soybeans Roasted, Forage Products, Calcium Carbonate, Vegetable Oil, Ammonium Chloride, Monocalcium Phosphate, Dicalcium Phosphate, Salt, Vegetable Fat Partially Hydrogenated (Preserved With Mixed Tocopherols), Artificial Flavor, Yeast Culture, Ketzner Sheep Chelate Pack, Urea Formaldehyde Condensation Polymer, Magnesium Oxide, Vitamin E Supplement, Manganous Oxide, Zinc Sulfate, Zinc Oxide, Sodium Selenite, Vitamin A Supplement, Cobalt Carbonate, Ethylenediamine Dihydriodide

## FEEDING DIRECTIONS

Feed as directed by your nutritionist.

CAUTION: Feeding undiluted or mixing errors may result in an excess Lasalocid concentration which could be fatal to cattle and sheep. Do not allow horses or other equines access to Type A articles or Type B feeds containing Lasalocid as ingestion may be fatal. Safety of Lasalocid for use in unapproved species has not been established.

LIMITATIONS: In Type C feeds; for sheep maintained in confinement; feed continuously in complete feed to provide not less than 15 mg nor more than 70 mg of Lasalocid sodium activity per head per day depending on body weight. UniBond (Urea Formaldehyde Condensation Polymer) Pellet Binder "Approved for Use in All Animal Feeds"

Manufactured For:  
High Noon Feed, LLC 1616 Co Rd 30, Bird City, KS 67731  
Net Weight Bulk-or-50 lb (22.67 Kg)

Not for official use  
Please contact Agfinity, Inc. for official tag.  
Revised 05/25/21



# HIGHNOON SHOW LAMB EXTREME MIX

*MEDICATED*

For the prevention of coccidiosis caused by Eimeria ovina, Eimeria crandalis, Eimeria ovinoidalis (Eimeria ninakohlyakimovae), Eimeria parva and Eimeria intricata in sheep maintained in confinement.

FS1694

## ACTIVE DRUG INGREDIENT

Lasalocid.....25 g/ton

## GUARANTEED ANALYSIS

Crude Protein.....not less than 18.00%

\*This includes not more than 1.2 % equivalent crude protein from non-protein nitrogen

Fat.....not less than 3.80%

Fiber.....not more than 11.51%

Calcium.....not less than 1.12 not more than 1.42%

Phosphorus.....not less than 0.38%

Salt.....not less than 0.80 not more than 1.01%

Selenium.....less than 0.3 ppm

Vitamin A.....not less than 10,972 IU/lb

## ADDED BUT NOT GUARENTEED

Copper.....10.25ppm

## INGREDIENTS

Plant Protein Products, Processed Grain By-Products, Forage Products, Calcium Carbonate, Ammonium Chloride, Monocalcium Phosphate, Dicalcium Phosphate, Salt, Molasses Products, Vegetable Fat Partially Hydrogenated (Preserved With Mixed Tocopherols), Artificial Flavor, Yeast Culture, Urea Formaldehyde Condensation Polymer, Ferrous Sulfate, Magnesium Oxide, Vitamin E Supplement, Manganous Oxide, Zinc Sulfate, Zinc Oxide, Sodium Selenite, Vitamin A Supplement, Cobalt Carbonate, Ethylenediamine Dihydriodide, Grain Products, Plant Protein Products.

## FEEDING DIRECTIONS

Feed as directed by your nutritionist.

LIMITATIONS: In Type C feeds; for sheep maintained in confinement; feed continuously in complete feed to provide not less than 15 mg nor more than 70 mg of lasalocid sodium activity per head per day depending on body weight. UniBond (Urea Formaldehyde Condensation Polymer) Pellet Binder "Approved for Use in All Animal Feeds"

Manufactured By:

Agfinity, Inc.

260 Factory Road - Eaton, CO 80615

Net Weight Bulk-or-50 lb (22.67 Kg)

Not for official use

Please contact Agfinity, Inc. for official tag.

Revised 05/25/21